

**AUSLAY**  
**INDUSTRIES PTY LTD®**



**SPC HYBRID  
FLOORING**

**QUEENSLAND, AUSTRALIA**  
**[www.auslayindustries.com.au](http://www.auslayindustries.com.au)**



# Dura 7.5 Collection

## SPC hybrid 7.5mm



The stone plastic composite construction makes the Hybrid board waterproof in its core and on its surface layer. Hybrid flooring is extremely durable and versatile. It is sturdy, hardwearing and is able to withstand heavy foot traffic, making it ideal for all residential and commercial living. New builds, renovations, shops, schools, restaurants - anywhere really that requires a durable hard working flooring solution.

SPC Hybrid Plank Dura\*7.5 Flooring ( float install ) - 9 x timber patterns and colours

- Plank size : 1220mm x 178mm
- 5.5mm core + 1.5mm IXPE back padding
- 0.5mm wear layer
- 1.954 m2 per box
- 9 planks per box
- P4 Slip resistance rating tested
- Scratch resistant
- Stain resistant
- Fully waterproof
- Fire resistant
- Residential and commercial
- 28 dB acoustic reduction tested



*Warranty*

*5 year commercial*

*25 year residential*



5D-7 amberwood



8D-7 hessian




15D-7 mink



16D-7 stone



21D-7 southern  
blackbutt



23D-7 pondosa



24D-7 northern  
blackbutt



25D-7 durkee



26D-7 smooth oak



### Colour matched Accessories

- custom stair nosing's , Scotias , Trim mouldings

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

August 2024

# Dura 7 Collection

## SPC hybrid 7mm



The stone plastic composite construction makes the Hybrid board waterproof in its core and on its surface layer. Hybrid flooring is extremely durable and versatile. It is sturdy, hardwearing and is able to withstand heavy foot traffic, making it ideal for all residential and commercial living. New builds, renovations, shops, schools, restaurants - anywhere really that requires a durable hard working flooring solution.

### SPC Hybrid Plank Dura\*7 Flooring ( float install )

- Plank size : 1220mm x 178mm
- 5mm core + 1.5mm IXPE back padding
- 10 planks per box
- 2.17m2 per box
- 0.5mm wear layer
- P4 Slip resistance rating tested

- 3 x timber patterns and colours

- Scratch resistant
- Stain resistant
- Fully waterproof
- Fire resistant
- Residential and commercial
- 28 dB acoustic reduction tested



### *Warranty*

*5 year commercial*

*25 year residential*



19D-7 - Barnwood



20D-7 - Regional Oak



22D-7 - Argentine Oak



### **Colour matched Accessories**

- **custom stair nosing's**
- **Scotias**
- **Trim mouldings**



# Dura 6 Collection

## SPC hybrid 6mm



The stone plastic composite construction makes the Hybrid board waterproof in its core and on its surface layer. Hybrid flooring is extremely durable and versatile. It is sturdy, hardwearing and is able to withstand heavy foot traffic, making it ideal for all residential and commercial living. New builds, renovations, shops, schools, restaurants - anywhere really that requires a durable hard working flooring solution.

### SPC Hybrid Plank Dura\*6 Flooring ( float install )

- Plank size : 1220mm x 178mm
- 4mm core + 1.5mm IXPE back padding
- 12 planks per box
- 2.61 m2 per box
- 0.5mm wear layer
- P4 Slip resistance rating tested

### - 7 x timber patterns and colours


- Scratch resistant
- Stain resistant
- Fully waterproof
- Fire resistant
- Residential and commercial
- 25 dB acoustic reduction tested




### *Warranty*

*25 year Residential*


*5 year Commercial*




21D-6 Southern Blackbutt




17D-6 Sawn Oak




16D-6 Stone




15D-6 Mink



14D-6 Magnum Oak




23D-6 Pondosa Oak



25D-6 Durkee Oak



CERTIFIED BY  
SCS Global Services



### **Colour Matched Accessories**

**Custom stair nosing's – Scotia's – Trim mouldings**

**[www.auslayindustries.com.au](http://www.auslayindustries.com.au)**

August 2024



# Casa Collection

## SPC hybrid 5.8mm



The stone plastic composite construction makes the Hybrid board waterproof in its core and on its surface layer. Hybrid flooring is extremely durable and versatile. It is sturdy, hardwearing and is able to withstand heavy foot traffic, making it ideal for all residential and commercial living. New builds, renovations, shops, schools, - anywhere really that requires a durable hard working flooring solution.

### SPC Hybrid Plank Casa Flooring ( float install )

- Plank size : 1220mm x 178mm x 5.8mm

- 1.5mm IXPE back padding

- 12 planks per box

- 2.61m<sup>2</sup> per box

- 0.3mm wear layer

- P4 Slip resistance rating tested

- 7 x timber pattern and colours

- Scratch resistant

- Stain resistant

- Fully waterproof

- Fire resistant

- Residential and commercial


- 25 dB acoustic reduction tested



### *Warranty*

*15 Year Residential*

*3 year Commercial*




8B Hessian




10B Ash



11B Canyon



12B Bark



16B Stone



17B Sawn Oak



18B Fossilwood



# Casa NBP Collection

## Floor & wall 4.0mm +



**No attached backpad** “Supplied with your choice of Quietwalk plus or Insulayment”

Install as your new floating floor using the supplied acoustic / anti fracture underlayments.

We supply your choice of Quietwalk Plus or Insulayment underlay free with your Casa NBP hybrid flooring. This gives you the option to suit your job requirements. Perfect for installing over timber floors.

### SPC Hybrid Plank Casa N Walls and Floors

- Plank size : 1220mm x 178mm x 4.0mm
- no back padding attached
- 12 planks per box
- 2.61m2 per box
- 0.3mm wear layer
- 11 x timber pattern and colours
- Scratch resistant
- Stain resistant
- Fully waterproof
- Fire resistant
- Residential floors and commercial



*Warranty*

*15 year residential*

### 11 hybrid colours - Casa “No back Pad” Collection \* Walls and Floors



**Floors : float install over our acoustic / anti fracture underlayments**  
**Walls : direct glue to vertical surfaces**

**[www.auslayindustries.com.au](http://www.auslayindustries.com.au)**

August 2024



# Red Stag Range

## SPC hybrid 6mm




The stone plastic composite construction makes the Hybrid board waterproof in its core and on its surface layer. Hybrid flooring is extremely durable and versatile. It is sturdy, hardwearing and is able to withstand heavy foot traffic, making it ideal for all residential and commercial living. New builds, renovations, shops, schools, restaurants - anywhere really that requires a durable hard working flooring solution.

### SPC Hybrid Plank Flooring Red Stag Range


- Plank size : 1218mm x 182mm
- 4.5mm core + 1.5mm IXPE back padding
- 0.5mm wear layer
- 2.216 m2 per box
- 10 planks per box
- Slip resistance
- 6 x timber patterns and colours
- Scratch resistant
- Stain resistant
- Fully waterproof
- Fire resistant
- Residential and commercial
- dB acoustic reduction tested




*Warranty*  
*10 year commercial*  
*25 year residential*



29D - Spotted gum



30D - light Oak




31D - Ash Oak



33D - Golden Oak



34D - Native blackbutt



35D - Natural Oak

### **Colour Matched Accessories**

#### **Custom stair nosing's**

- **Scotia's**
- **Trim mouldings**



CERTIFIED BY  
SCS Global Services



# European Oak Range

## SPC hybrid 8mm

### 0.7mm wear layer




The stone plastic composite construction makes the Hybrid board waterproof in its core and on its surface layer. Hybrid flooring is extremely durable and versatile. It is sturdy, hardwearing and is able to withstand heavy foot traffic, making it ideal for all residential and commercial living. New builds, renovations, shops, schools, restaurants - anywhere really that requires a durable hard working flooring solution.

#### SPC Hybrid Plank Flooring - European Oak Range


- Plank size : 1525mm x 182mm
  - 6mm core + 2.0mm IXPE back padding
  - 0.7mm wear layer
  - 1.665 m2 per box
  - 6 planks per box
  - Slip resistance
- 5 x timber patterns and colours
  - Scratch resistant
  - Stain resistant
  - Fully waterproof
  - Fire resistant
  - Residential and commercial
  - dB acoustic reduction tested



*Warranty*  
**10 year commercial**  
**25 year residential**



39D - European Oak



40D - French Oak




41D - Natural Oak




42D - Native Blackbutt



43D - Light Grey Oak



44D - Spotted Gum



45D - Light Oak



**Premium Commercial SPC Hybrid Flooring**  
**0.7mm wear layer**

**Colour Matched Accessories**  
**Custom stair nosing's – Scotia's – Trim mouldings**

**[www.auslayindustries.com.au](http://www.auslayindustries.com.au)**

August 2024



# Acoustic Underlayments



**QUIETWALK<sup>Plus</sup>** **MPglobal**

**Eco Friendly, Recycled Fibre, Flooring Underlayment**  
**Superior Moisture Protection, Mold Resistant, Anti-Fracture,**  
**with Amazing Acoustic Ratings**

- 9.3m<sup>2</sup> rolls ( 914mm x 10,180mm )
- 100% recycled materials




**Insulayment<sup>®</sup>** **MPglobal**

**Eco Friendly, Recycled Fibre, Flooring Underlayment**  
**Non-Moisture critical areas, Mold Resistant, Anti-Fracture,**  
**with Amazing Acoustic Ratings**

- 9.3m<sup>2</sup> rolls ( 914mm x 10,180mm )
- 100% recycled materials



- 3mm and 5mm thickness
- Size : 1000mm x 500mm x ( 2 sheets )
- Float flooring or direct stick
- High acoustic reductions



- 2mm EVA foam with moisture proof film
- Size : 1000mm x 25000mm roll
- Float flooring
- Isolation barrier



# To see our product range

## Visit our website

### [www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**4mm**  
Floors & Walls  
0.3mm wear layer  
No attached back pad – supplied as a roll

**CASA**  
NO BACK PADDING  
Collection

comes supplied with your choice of 3mm Quietwalk Plus or Insulayment acoustic underlayments

**CASA NBP COLLECTION**  
**SPC HYBRID PLANK 4**

A perfect acoustic, anti-fracture underlayment / flooring system

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**5.8mm**  
0.3mm wear layer  
1.5mm IXPE back Pad

**CASA**  
Collection

**CASA COLLECTION**  
**SPC HYBRID PLANK 5.8**

Durable and Stylish float flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**6mm**  
0.5mm wear layer  
1.5mm IXPE back pad

**DURA 6**  
Collection

**DURA 6 COLLECTION**  
**SPC HYBRID PLANK 6**

Durable and Stylish float flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**7mm**  
0.5mm wear layer  
1.5mm IXPE Back Pad

**DURA 7**  
Collection

**DURA 7 COLLECTION**  
**SPC HYBRID PLANK 7**

Durable and Stylish float flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**7.5mm**  
0.5mm wear layer  
1.5mm IXPE Back Pad

**DURA 7.5**  
Collection

**DURA 7.5 COLLECTION**  
**SPC HYBRID PLANK 7.5**

Durable and Stylish float flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**6mm**  
0.5mm wear layer  
1.5mm IXPE Back Pad

**RED STAG RANGE 6**

**RED STAG 6 RANGE**  
**SPC HYBRID PLANK 6**

Durable and Stylish float flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**8mm**  
0.7mm wear layer  
2mm IXPE Back Pad

**EUROPEAN OAK RANGES**

**EUROPEAN OAK RANGE 8**  
**SPC HYBRID PLANK 8**

Durable and Stylish float flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**AUSLAY flooring IMPORTS**

**design**  
CONCEPT  
Walls

**CORKART**  
**DESIGN CONCEPT CORK WALLS**

Unique design options for cork feature walls

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

**AUSLAY INDUSTRIES PTY LTD®**

**FLOORING UNDERLAYMENTS**

**Recycled Fibre**  
**Natural Cork**  
**EVA Foam**

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)



**AUSLAY flooring IMPORTS**

**OUR DISTRIBUTION PARTNER**  
**BRAND**

**LUXURY VINYL PLANK**

Durable and beautiful stylish flooring solutions

[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

[info@auslayindustries.com.au](mailto:info@auslayindustries.com.au)

07 37366280